EB-2055

DATASHEET

















Deliver perfect presentations with a projector offering a brightness of 5,000 lumens and intuitive features, such as Gesture Presenter.

Bring sharp images and bright colours to any meeting room with our superbright new business projector, which offers an outstanding brightness level of 5,000 lumens and XGA resolution. The EB-2055 is designed to project a scalable image up to a massive 300 inches, and offers stream and share wireless connectivity using Epson's Multi-PC projection or the Epson iProjection App.

Up to 300-inch display and outstanding quality

Epson's 3LCD technology ensures high-quality content has more vivid colours and brighter images. HDMI connectivity guarantees sharper and clearer content, even at the maximum image size of 300 inches.

Simple setup and connectivity

The EB-2055 offers stream and share wireless LAN connectivity using Epson's Multi-PC projection or our Epson iProjection App and two HDMI connections. Setup is easy too, thanks to features including auto-power-on, focus help, keystone correction and screen fit - allowing the user to deliver presentations quickly and effectively.

Keep costs down

Project for longer with improved reliability and a longer lamp life of up to 10,000 hours in eco mode.

Home screen

The home screen offers quick and easy access to a variety of useful functions, such as connection sources. Wireless connections can also be made easily using the information on screen.

Gesture Presenter

Change slides by simply moving your hand, making even smarter presentations a reality by liberating the user from their remote control or mouse.

KEY FEATURES

- Up to 300-inch display and great quality
 - Epson's 3LCD technology with XGA resolution
- Outstanding 5,000-lumen brightness
 Project bold, colourful images even in bright rooms
- Stream and share connectivity
 Including wireless connectivity and dual HDMI
- Home screen and split-screen
 Quick and easy access to a variety of useful functions
- Gesture presenter
 Intuitively use gestures to control the projector





PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.63 inch with D10

IMAGE

Colour Light Output 5,000 lumen- 3,800 lumen (economy)
White Light Output 5,000 lumen - 3,800 lumen (economy)

Resolution XGA, 1024 x 768, 4:3

Contrast Ratio 15,000 : 1
Native Contrast 400 : 1

Lamp 300 W, 5,000 h durability, 10,000 h durability (economy mode)

Keystone Correction Auto vertical: ± 30 °, Auto horizontal ± 30 °

Colour Reproduction Upto 1.07 billion colours

OPTICAL

Projection Ratio 1.38 - 2.24:1

Zoom Digital, Factor: 1 - 1.6

Image Size 30 inches - 300 inches

Projection Distance Wide 0.8 m (30 inch screen)

Projection Distance Tele 8.5 m (300 inch screen)

 Projection Lens F Number
 1.51 - 1.99

 Focal Distance
 18.2 mm - 29.2 mm

 Focus
 Manual

Focus Manua
Offset 8.6:1

CONNECTIVITY

USB Display Function 3 in 1: Image / Mouse / Sound

Interfaces USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T),

Gigabit ethernet interface, WLAN (optional), Wireless LAN IEEE 802.11b/g/n, VGA in (2x), VGA out, HDMI in (2x), Composite in, RGB in (2x), RGB out, MHL, Stereo mini jack audio out, Stereo

mini jack audio in (2x)

Epson iProjection App Ad-Hoc / Infrastructure

ADVANCED FEATURES

Security Kensington lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock,

Wireless LAN security, Password protection

Features AV Mute Slide, Automatic input selection, Automatic keystone correction, Built-in speaker,
CEC compatible, Direct Power on/off, Document Camera Compatible, Screen Fit, Freeze

image, Gesture Presenter, Home Screen, Instant on/off, JPEG Viewer, Long lamp life, Mail notification function, Network administration, iProjection App for Chromebook, Quick Corner,

Slide show, Split-Screen-Function, Wireless LAN capable, iProjection App

Video Colour Modes Blackboard, Dynamic, Photo, Presentation, sRGB, DICOM SIM

GENERAL

Energy Use 410 W, 350 W (economy), 0.5 W (standby)

Product dimensions 377 x 291 x 101 mm (Width x Depth x Height)

Product weight 4.5 kg

Noise Level Normal: 39 dB (A) - Economy: 29 dB (A) Included Software EasyMP Monitor, EasyMP Multi PC Projection

OTHER

Warranty 36 months On site service or 8,000 h, Lamp: 12 months or 1,000 h

Optional warranty extension available

EB-2055

WHAT'S IN THE BOX

- VGA cable
- Power cable
- Remote control incl. batteries
- Software (CD)
- Warranty card
- User Manual (CD-ROM)
- Wireless LAN unit



OPTIONAL ACCESSORIES

EB-2055

- Air Filter ELPAF41
 - V13H134A41
- Wireless LAN Adapter ELPAP10
- V12H731P01
 Quick Wireless Connect USB key ELPAP09
- V12H005M09

 ◆ Soft Carry Case ELPKS68
- V12H001K68

 Ceiling Mount (White) ELPMB23
 V12H003B23
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Lamp ELPLP95 EB-2xxx/5xxx V13H010L95

LOGISTICS INFORMATION

sku	V11H821041
EAN code	8715946628615
Country of Origin	China

For more information please contact:

Telephone: 01952 607111 (UK)+ 01 436 7742 (Republic of Ireland) E-mail: enquiries@epson.co.uk Chat: etalk.epson-europe.com Fax: 0871 222 6740 + Local call rate. Web: www.epson.co.uk www.epson.ie

